

PremiDoor 88 LIFT/SLIDING DOOR SYSTEM

UNLIMITED PERSPECTIVES.







LIGHT AS A FEATHER AND QUIET AS A WHISPER.

Just one small action and the lift/sliding door glides open. Effortless, quiet as a whisper – and all that despite the impressive size of the glazed area. PremiDoor 88 owes this easy handling to its innovative mechanism. For maximum handling ease.



AWARENESS.

With conventional systems, the larger the glazed area, the more energy is lost. PremiDoor 88 proves the exact opposite – with a profile system whose energy efficiency is setting new standards! Thanks to optimal thermal insulation, you save heating energy and valuable resources. Good for the environment – and good for your wallet.

A FEELING OF WELLNESS.

Whether autumn storms, summer thunderstorms, snow or hail: Inside, PremiDoor 88 ensures cosiness all year round. The reason? This door system is absolutely windproof, and also offers sound insulation and driving rain protection – thanks to the premium-quality innovative seal system!


4

WE MAKE IT EASY FOR YOU.

MAXIMUM HANDLING EASE.

At first glance, PremiDoor 88 impresses with its wide, floor-to-ceiling windows. If you take a closer look, you'll be amazed by its super comfortable handling, which you may not have thought possible with the extra-large doors –especially since they add a good deal of weight, for example with triple glazing. Nevertheless, they can be opened and closed without any effort – smoothly and as quiet as a whisper. The sophisticated technology, which uses an innovative mechanism and special materials, ensures that the lift/sliding door literally floats.






OPEN AND ENERGY-CONSCIOUS AT THE SAME TIME.

THE 88-MILLIMETRE PROFILE COMBINES AESTHETICS WITH SUSTAINABILITY.

PremiDoor 88 meets two challenges of modern architecture that actually seem to contradict each other: Namely the desire for openness with ever larger glazed areas on the one hand – and the aim to comply with increasingly strict energy-saving regulations on the other. This feat is achieved by the innovative 88-millimetre profile system. Thanks to the large construction depth, slender profile sight lines, high stability and excellent insulating values, the slim profile proves to be a real allrounder.



FOR AN ALL-ROUND COSY FEELING OF HOMELINESS.

THANKS TO INNOVATIVE SEALING TECHNOLOGY.

The more unpleasant it is outside, the more you value your cosy home, a place where you feel completely comfortable as well as perfectly protected –for example, from rain, wind and noise. How great that the sophisticated PremiDoor 88 seal system works together on all three levels. This is due not least to the specific properties of the materials used. No matter whether a summer thunderstorm, an autumn hurricane or a snowstorm is raging outside, it stays wonderfully cosy inside.

PERFECTLY PROTECTED

- High level of burglary protection: Fittings and functional glazing in an optimal combination
- Optimal protection against driving rain, wind and sound: This is ensured by three sealing levels
- Reliable sealing technology: Thanks to the flexible, robust materials



10 11



LOWER HEATING COSTS, MORE OF A FEEL-GOOD CLIMATE.

PremiDoor 88 - ENERGY SAVING INCLUDED.

Compared to conventional systems, a significant leap in thermal insulation has been achieved with the new PremiDoor 88 lift/sliding door system. The new system is up to 32 per cent better in a direct comparison. The multi-chamber profile, calculated to be energy saving, and original thermal insulation parts ensure optimal isothermal properties. The innovative WPC threshold also contributes significantly to the excellent insulating properties of the overall system. All these technologies together ensure that you noticeably reduce your heating costs and CO₂ emissions.

YOUR CARBON FOOTPRINT: THE BEST.

- > First-class heat transfer coefficient U_f = 1.2 1.3 W/(m²K)
- > Optionally, a U_D value of up to 0.8 W/(m²K) is possible
- > Reduced carbon footprint with significant CO₂ savings
- > Increasing and maintaining the value of your property



SIMPLY BRING YOUR CREATIVE IDEAS TO LIFE.

PremiDoor 88: MAXIMUM FREEDOM OF DESIGN.

It is not only size and shape that characterises the PremiDoor 88's effect in your rooms – the frame design is also crucial. Thanks to the broad design spectrum and the possible combinations of colours and material appearances, you can draw from the full range: Classic white or your favourite colour, lamination in woodgrain or a metal look – even sophisticated aluminium cladding is possible. Turn your ideas into reality!



CLASSIC WHITE

White harmonises perfectly with the design of straight lines for PremiDoor 88. The classical design is still the most popular profile colour.



WOODGRAINS AND PLAIN COLOURS

From plain colours (smooth or grained) to natural wood look and brushed metallic look: The wide diversity of weather-resistant laminates provides the basis for an individual design concept.



ALUMINIUM CLADDING

PVC-U profile with aluminium cladding – this combination is not only easy to clean, durable and cost-effective, but also elegant.

And the choice of colours is almost unlimited.

DREAMY VIEWS - A SUSTAINABLE OUTLOOK.


PremiDoor 88 LUX.

For anyone wanting an even larger glazed area, PremiDoor 88 Lux offers the perfect solution. Omitting the sash profile in the external glazing makes it possible. Filigree aluminium glazing beads are used there instead.

PremiDoor 88 Lux is compelling not only with its open, elegant aesthetics, but also in terms of energy saving: The extra-large glazed area brings even higher solar energy gains. Once again, Kömmerling combines increased sustainability with design and a feel-good atmosphere!



- > Large-area, sashless fixed glazing: Glass thickness up to 54 mm
- > Invisible fastening for the elements thanks to deep installation channels
- > Numerous design variants:
 - > In white
 - Laminated in plain colours, wood grain laminate or a brushed metal look
 - With aluminium claddina



16

FROM DESIGN TO COST EFFECTIVENESS.

PremiDoor 88 IS IMPRESSIVE AT ALL LEVELS.

Full-storey glazed areas, excellent static properties, excellent thermal insulation, impressive cost effectiveness, elegant design: PremiDoor 88 manages to impress at all levels, proving to be an innovative overall package in perfect balance.


This means the lift/sliding door system is recommended for anyone who loves rooms flooded with light and an open living atmosphere. Are economical energy consumption, effective environmental protection and living sustainability important to you? Wonderful. Then PremiDoor 88 is your system!

EXCELLENT THERMAL INSULATION

- > Profile installation depth of 88 mm: Best conditions for thermal insulation
- > Optimal isothermal properties due to fivechamber sash and casement profile
- > Highly thermally insulated WPC (wood plastic composite) threshold
- > Special glazing rebate seal
- > Centre fastener in triple sealing technology
- > Guide rail with thermal break
- > First-class heat transfer coefficient $U_f = 1.2 - 1.3 \text{ W/(m}^2\text{K)}$
- > Optionally, a U_D value of up to 0.8 W/(m²K) is possible

ELEGANT DESIGN

- > Huge choice of colours and finishes thanks to
- > Slender sight lines for the sashes (100 mm) and casements (65 mm)
- > Flush look between sash and casement
- Backset glazing beads
- > Concealed drainage



- lamination or aluminium cladding

- > Concealed fastening of the elements thanks to deep installation channels

INNOVATIVE SYSTEM TECHNOLOGY

- > Maximum element height of 2.90 m due to large-scale steel reinforcements with optimised form fit
- > Maximum flexibility during installation: Glazing is insertable inwards and outwards
- > Flexible and robust sealing materials
- > Nonwearing moulded structured parts for durable air tightness







2 lift/sliding sashes 1 fixed pane

1 lift/sliding sash 2 fixed panes

2 lift/sliding sashes with floating mullion 2 fixed panes



#KömmerlingForTomorrow

profine GmbH **Kömmerling**

Zweibrücker Straße 200 66954 Pirmasens Tel. +49 (0) 6331 560 E-mail: info@koemmerling.com

www.koemmerling.com

